



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Surespray Everyday

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Teat disinfectant for animal use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GEA Farm Technologies (UK) Ltd
Wylle Works, Watery Lane, Bishopstrow, Warminster, Wiltshire BA12 9HT England

T: +44 (0) 1985 216 444

F: +44 (0) 1985 216 692

E-mail: info.agroserve@geagroup.com

1.4. Emergency telephone number

Emergency number : +44 (0) 870 190 6777 (24 hours, 7 days)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic 2 H411

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

N; R51/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment
P391 - Collect spillage
P501 - Dispose of contents/container to an authorised waste collection point

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Chlorhexidine digluconate	(CAS No.) 18472-51-0 (EC No.) 242-354-0	0.5	Xi; R41 N; R50/53

